

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	447	713/200.ccls. and virus	US-PGPUB; USPAT	OR	OFF	2005/03/23 13:37
S2	44	S1 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S3	25	713/200.ccls. and virus same report	US-PGPUB; USPAT	OR	OFF	2005/03/23 13:38
S4	5	S3 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S5	158	713/188.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/23 13:38
S6	21	S5 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S7	67	713/188.ccls. and remote	US-PGPUB; USPAT	OR	OFF	2005/03/23 13:38
S8	14	S7 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S9	5	remote near3 virus near scan	US-PGPUB; USPAT	OR	OFF	2005/03/23 13:38
S10	0	S9 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S11	73	remote near3 virus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S12	6	S11 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38


S13	1	remote near3 virus near3 update	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S14	0	S13 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S15	2	remote near3 virus near3 updat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S16	0	S15 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S17	474	virus near3 updat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S18	63	S17 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S19	220	virus near updat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S20	28	S19 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S21	40	virus near updat\$3 and report	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S22	6	S21 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38

S23	36	virus near updat\$3 same manag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S24	7	S23 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S25	2	virus near3 updat\$3 same manag\$5 same report	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S26	1	S25 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S27	0	virus near3 updat\$3 near server same report	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S28	0	S27 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S29	12	virus near3 updat\$3 near server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S30	3	S29 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S31	46	virus near updat\$3 same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S32	7	S31 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38

S33	2	"5960170".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S34	0	S33 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S35	182	virus near3 report	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S36	22	S35 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S37	35	virus near report	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S38	10	S37 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S39	1	virus near scan near report	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S40	0	S39 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S41	18	virus near scan same report	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S42	9	S41 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38

S43	63	virus near scan same result	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:38
S44	10	S43 and @pd>"20041105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:38
S45	75637	send\$4 near receiv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:48
S46	649	S45 same report	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:45
S47	2	S46 same virus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:47
S48	99	S46 same (during while)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:47
S49	8331	send\$4 with receiv\$4 with (during while)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:48
S50	77	send\$4 with receiv\$4 with (during while) with report	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:52
S51	1	S50 and virus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 14:29
S52	0	upload\$4 adj3 while adj3 download\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 14:29

S53	0	upload\$4 with while with download\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 14:30
S54	45	upload\$4 with "same" adj3 time with download\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 14:36
S55	338	upload\$4 with during with download\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 14:36
S56	79	upload\$4 with during with download\$4 same time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 14:37
S57	1	upload\$4 with during with download\$4 same save near3 time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 14:37
S58	3	upload\$4 with download\$4 same save near3 time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 14:37

**Web**Results 1 - 10 of about 13,100 for **full-duplex advantages daterange:2449718-2452044.** (0.25 seconds)**Full-Duplex Channel over HTTP**

... If you are wanting to create a **full-duplex** connection through HTTP anyway then you ...  
 work involved to get it working will probably negate any **advantages** 1) might ...  
[www.innovation.ch/java/HTTPClient/fullduplex.html](http://www.innovation.ch/java/HTTPClient/fullduplex.html) - 7k - [Cached](#) - [Similar pages](#)

**Re: VRUG Re: Full Duplex USB**

Re: VRUG Re: **Full Duplex** USB. ... Phil, A USB based ADC does have the advantage of removing the audio electronics (especially the pre-amplifier) from the ...  
[www.voicerecognition.net/speecharchive/1999b/msg00084.html](http://www.voicerecognition.net/speecharchive/1999b/msg00084.html) - 4k - [Cached](#) - [Similar pages](#)

**Fast Ethernet, MII Cables, MII Transceivers, 100Base-TX Two Pair ...**

... T Fast Ethernet Cabling Cabling specification 100Base-TX Cable type Category 5 UTP (uses two pairs) or IBM Type 1 STP **Advantages** Full-duplex mode offers 200 ...  
[www.cablesandchipsinc.com/fasteth.html](http://www.cablesandchipsinc.com/fasteth.html) - 16k - [Cached](#) - [Similar pages](#)

**1. Opening remarks and introductions: John Scheible Jeff Stai ...**

... simplex channels is basically the same (resource-wise) as a **full-duplex** channel. ...  
 advantage for one implies a disadvantage for the other" **Advantages** Simplex Half ...  
[www.t11.org/ftp/t11/pub/fc/al-3/98-621v0.txt](http://www.t11.org/ftp/t11/pub/fc/al-3/98-621v0.txt) - 11k - [Cached](#) - [Similar pages](#)

**[PDF] Mobile Video Communication Mobile Video Communication**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... solution for video conferencing Includes smallest camera available Video conferencing with **full-duplex** sound Lightweight, compact, and easy-to-use **Advantages** ...  
[www.micronica.com.au/digvis/nogatech/pcmcia.pdf](http://www.micronica.com.au/digvis/nogatech/pcmcia.pdf) - [Similar pages](#)

**[PDF] Talk About NIC.qxd**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... **Advantages** of Adaptec server NICs I Increased availability of stored data I ... using 12, 10/100 ports Ability to operate in **full duplex** mode Scalability Increased ...  
[www.adaptec.com/pdfs/server\\_nic.pdf](http://www.adaptec.com/pdfs/server_nic.pdf) - [Similar pages](#)

**Part14: Simplex, Half and Full Duplex**

... operation, namely, simplex, half-duplex and **full-duplex** operation. Each is suited a particular type of application, and has its own **advantages** and disadvantages ...  
[www.coltec.ufmg.br/n2m/comunica/dc\\_014.htm](http://www.coltec.ufmg.br/n2m/comunica/dc_014.htm) - 7k - [Cached](#) - [Similar pages](#)

**[PDF] Exploiting the **advantages** of connectionless and connection ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 Page 1. Exploiting the **advantages** of connectionless and connection-oriented networks ...  
 These **advantages** only exist when the CO network is operated in a ...  
[www.ece.virginia.edu/~mv/pdf-files/memo-ext.PDF](http://www.ece.virginia.edu/~mv/pdf-files/memo-ext.PDF) - [Similar pages](#)

**ATL-RFID**

... The TIRIS system itself has several **advantages** over the earlier **Full Duplex** technology. The most significant being the read range of the TIRIS tag. ...  
[www.atl-rfid.co.uk/technoterfidpart2.html](http://www.atl-rfid.co.uk/technoterfidpart2.html) - 12k - [Cached](#) - [Similar pages](#)

**Ethernet Switching Information**

... If the offered traffic load most often flows in one direction at any one time, the **full duplex** link offers little advantage over a half duplex link of the same ...  
[www.kmj.com/kmjinfo/smenu.html](http://www.kmj.com/kmjinfo/smenu.html) - 17k - [Cached](#) - [Similar pages](#)

Gooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Free! Google Desktop Search: Search your own computer. [Download now.](#)

**Find:**  [emails](#) -  [files](#) -  [chats](#) -  [web history](#) -  [media](#) -  [PDF](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google